



ITEM #	QTY	PART #	PART TITLE
-1	1	RB 92700-10308-041-1	PACKAGING ASSY
-4	1	RB 92700-10308-041-4	INPUT MODULE SEAL INSTALLER ASSY
12	1	RB41011	DART PLACARD
13	4	McMaster#97524A032 OR EQUIV.	ALUMINUM SEALING BLIND RIVETS 1/8" DIA. x 0.425" LG.




RB 92700-10308-041 INPUT MODULE SEAL INSTALLER

- NOTES:
- 1) MATERIAL: N/A
 - 2) HEAT TREAT: N/A
 - 3) FINISH: N/A
 - 4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"
 - 5) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 6) BREAK SHARP EDGES: N/A
 - 7) IDENTIFICATION: ENGRAVE THE TOOL P/N & S/N ON THE DART PLACARD WHERE INDICATED
 - 8) INSTALL THE DART PLACARD ONTO THE TOP OF THE CASE IN AVAILABLE AREA USING ALUMINIUM POP RIVETS
 - 9) HOT GLUE THE TOP AND BOTTOM FOAM INTO THE CASE

A	NEW ISSUE	18-632	VM
REV.	DESCRIPTION	ECN #	BY
DESIGN	VM	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VM		
CHECKED	VM	TOOL PART #	REV. A
MFG. APPR.	DP	RB 92700-10308-041	SHEET 1 OF 12
APPROVED	MLC	TITLE	SCALE
DATE 6/25/2018		INPUT MODULE SEAL INSTALLER	NTS
COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			


ITEM #	QTY	PART #	PART TITLE
-2	1	RB 92700-10308-041-2	TOP FOAM
-3	1	RB 92700-10308-041-3	BOTTOM FOAM
14	1	PELICAN #APP-1200-E	PELICAN CASE 1200




NOTES:
1) MATERIAL: N/A
2) HEAT TREAT: N/A
3) FINISH: N/A
4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"
5) UNITS: INCHES UNLESS OTHERWISE NOTED
6) BREAK SHARP EDGES: N/A
7) IDENTIFICATION: N/A

RB 92700-10308-041-1 PACKAGING ASSY

DESIGN	VM	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VM		
CHECKED	VM	TOOL PART #	REV. A
MFG. APPR.	DP	RB 92700-10308-041	SHEET 2 OF 12
APPROVED	<i>MBLee</i>	TITLE	SCALE
DATE 6/25/2018		INPUT MODULE SEAL INSTALLER	NTS
		COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	





RB 92700-10308-041-3 BOTTOM FOAM





8

NOTES:

- 1) MATERIAL: BLACK ETHAFOAM 220
- 2) HEAT TREAT: N/A
- 3) FINISH: N/A
- 4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/- 0.005"
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) BREAK SHARP EDGES: N/A
- 7) IDENTIFICATION: N/A
- 8) ALL NON-DIMENSIONED FEATURES MUST MAINTAIN A TOLERANCE OF +/- 0.050" PER CAD FILE RB 92700-10308-041-3

DESIGN	VM	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VM		
CHECKED	VM	TOOL PART #	REV. A
MFG. APPR.	DP	RB 92700-10308-041	SHEET 4 OF 12
APPROVED	<i>ML</i>	TITLE	SCALE
DATE 6/25/2018		INPUT MODULE SEAL INSTALLER	NTS
COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

ITEM #	QTY	PART #	PART TITLE
-5	1	RB 92700-10308-041-5	PUSHER
-6	1	RB 92700-10308-041-6	SEAL INSTALLER ASSY
-9	1	RB 92700-10308-041-9	ALIGNMENT RING ASSY
-11	1	RB 92700-10308-041-11	THREADED RING
15	1	McMaster#97633A475 OR EQUIV	EXTERNAL RETAINING RING FOR 2-7/8" OD.
16	1	McMaster#97633A270 OR EQUIV	STEEL EXTERNAL RETAINING RING FOR 7/8" OD.




RB 92700-10308-041-4 INPUT MODULE SEAL INSTALLER ASSY 9



- NOTES:
- 1) MATERIAL: N/A
 - 2) HEAT TREAT: N/A
 - 3) FINISH: N/A
 - 4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"
 - 5) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 6) BREAK SHARP EDGES: N/A
 - 7) IDENTIFICATION: N/A
 - 8) ASSEMBLE AS SHOWN
 - 9) THE TOOL MUST BE PACKAGED WITH A DESICCANT BAG INTO A TIGHT FITTING SEALED PLASTIC BAG

DESIGN	VM	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VM		
CHECKED	VM	TOOL PART # RB 92700-10308-041	REV. A
MFG. APPR.	DP		SHEET 5 OF 12
APPROVED	<i>M Lee</i>	TITLE	SCALE
DATE 6/25/2018		INPUT MODULE SEAL INSTALLER	NTS
		COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1



RB 92700-10308-041-5 PUSHER




SECTION B-B



NOTES:
1) MATERIAL: 4140/4142 (28-32 RC)
2) HEAT TREAT: N/A
3) FINISH: BLACK OXIDE PER MIL-C-13924 CLASS 1 THEN APPLY A THIN LAYER OF OIL / CPC PER MIL-PRF-16173 GRADE 3 CLASS 1 OR MIL-C-81309 TYPE III OR MIL-C-23411A OR MIL-PRF-81309 AND WIPE OFF EXCESS
4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/- 0.005"
5) UNITS: INCHES UNLESS OTHERWISE NOTED
6) BREAK SHARP EDGES: 0.005" TO 0.010"
7) IDENTIFICATION: N/A

DESIGN	VM	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VM		
CHECKED	VM	TOOL PART #	REV. A
MFG. APPR.	DP	RB 92700-10308-041	SHEET 6 OF 12
APPROVED	<i>MLee</i>	TITLE	SCALE
DATE 6/25/2018		INPUT MODULE SEAL INSTALLER	NTS
COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

ITEM #	QTY	PART #	PART TITLE
-7	1	RB 92700-10308-041-7	SEAL INSTALLER
-8	1	RB 92700-10308-041-8	GEAR ALIGNMENT




RB 92700-10308-041-6 SEAL INSTALLER ASSY



SECTION C-C


- NOTES:
- 1) MATERIAL: N/A
 - 2) HEAT TREAT: N/A
 - 3) FINISH: BLACK OXIDE PER MIL-C-13924 CLASS 1 THEN APPLY A THIN LAYER OF OIL / CPC PER MIL-PRF-16173 GRADE 3 CLASS 1 OR MIL-C-81309 TYPE III OR MIL-C-23411A OR MIL-PRF-81309 AND WIPE OFF EXCESS
 - 4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"
 - 5) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 6) BREAK SHARP EDGES: N/A
 - 7) IDENTIFICATION: N/A
 - 8) ASSEMBLE AS SHOWN
 - 9) GRIND OR MACHINE WELD FLUSH TO SURFACE OF ITEM -7

DESIGN	VM	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VM		
CHECKED	VM	TOOL PART #	REV. A
MFG. APPR.	DP	RB 92700-10308-041	SHEET 7 OF 12
APPROVED	<i>MZu</i>	TITLE	SCALE
DATE 6/25/2018		INPUT MODULE SEAL INSTALLER	NTS
<small>COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>			



- NOTES:
- 1) MATERIAL: 4140/4142 (28-32 RC)
 - 2) HEAT TREAT: N/A
 - 3) FINISH: N/A
 - 4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/- 0.005"
 - 5) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 6) BREAK SHARP EDGES: 0.005" TO 0.010"
 - 7) IDENTIFICATION: N/A

DESIGN	VM	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VM		
CHECKED	VM	TOOL PART #	REV. A
MFG. APPR.	DP	RB 92700-10308-041	SHEET 8 OF 12
APPROVED	<i>M Lee</i>	TITLE	SCALE
DATE 6/25/2018		INPUT MODULE SEAL INSTALLER	NTS
COPYRIGHT © 2018 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>			





NOTES:
1) MATERIAL: 4140/4142 (28-32 RC)
2) HEAT TREAT: N/A
3) FINISH: N/A
4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/- 0.005"
5) UNITS: INCHES UNLESS OTHERWISE NOTED
6) BREAK SHARP EDGES: 0.005" TO 0.010"
7) IDENTIFICATION: N/A

RB 92700-10308-041-8 GEAR ALIGNMENT

DESIGN	VM	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VM		
CHECKED	VM	TOOL PART #	REV. A
MFG. APPR.	DP	RB 92700-10308-041	SHEET 9 OF 12
APPROVED	<i>ML</i>	TITLE	SCALE
DATE 6/25/2018		INPUT MODULE SEAL INSTALLER	NTS
COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			


ITEM #	QTY	PART #	PART TITLE
-10	1	RB 92700-10308-041-10	ALIGNMENT RING
17	2	McMaster#90692A693 OR EQUIV	STEEL SPRING PIN 1/8" DIA. x 7/16" LG.



RB 92700-10308-041-9 ALIGNMENT RING ASSY

- NOTES:
- 1) MATERIAL: N/A
 - 2) HEAT TREAT: N/A
 - 3) FINISH: N/A
 - 4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"
 - 5) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 6) BREAK SHARP EDGES: N/A
 - 7) IDENTIFICATION: N/A
 - 8) ASSEMBLE AS SHOWN





DESIGN	VM	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VM		
CHECKED	VM	TOOL PART #	REV. A
MFG. APPR.	DP	RB 92700-10308-041	SHEET 10 OF 12
APPROVED	<i>ML</i>	TITLE	SCALE
DATE 6/25/2018		INPUT MODULE SEAL INSTALLER	NTS
		COPYRIGHT © 2018 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



NOTES:
1) MATERIAL: 6061-T6 / 7075-T6
2) HEAT TREAT: N/A
3) FINISH: ANODIZE RED PER MIL-A-8625 TYPE 2 CLASS 2
4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
 X.XX = +/- 0.01" / +/- 0.5°
 X.XXX = +/- 0.005" / +/- 0.1°
 X.XXXX = +/- 0.0005" / +/- 0.05°
 PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/- 0.005"
5) UNITS: INCHES UNLESS OTHERWISE NOTED
6) BREAK SHARP EDGES: 0.005" TO 0.010"
7) IDENTIFICATION: MACHINE ENGRAVE PER CAD MODEL AS SHOWN OR DOT MARK T/N AS SHOWN

RB 92700-10308-041-10 ALIGMENT RING

DESIGN	VM	DART AEROSPACE LTD	
DRAWN	VM	HAWKESBURY, ONTARIO, CANADA	
CHECKED	VM	TOOL PART #	REV. A
MFG. APPR.	DP	RB 92700-10308-041	SHEET 11 OF 12
APPROVED	<i>MZex</i>	TITLE	SCALE
DATE 6/25/2018		INPUT MODULE SEAL INSTALLER	NTS
COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



SECTION F-F

RB 92700-10308-041-11 THREADED RING

NOTES:
1) MATERIAL: 4140/4142 (28-32 RC)
2) HEAT TREAT: N/A
3) FINISH: BLACK OXIDE PER MIL-C-13924 CLASS 1 THEN APPLY A THIN LAYER OF OIL / CPC PER MIL-PRF-16173 GRADE 3 CLASS 1 OR MIL-C-81309 TYPE III OR MIL-C-23411A OR MIL-PRF-81309 AND WIPE OFF EXCESS
4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
 X.XX = +/- 0.01" / +/- 0.5°
 X.XXX = +/- 0.005" / +/- 0.1°
 X.XXXX = +/- 0.0005" / +/- 0.05°
 PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/- 0.005"
5) UNITS: INCHES UNLESS OTHERWISE NOTED
6) BREAK SHARP EDGES: 0.005" TO 0.010"
7) IDENTIFICATION: N/A

DESIGN	VM	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VM		
CHECKED	VM	TOOL PART #	REV. A
MFG. APPR.	DP	RB 92700-10308-041	SHEET 12 OF 12
APPROVED	<i>MZL</i>	TITLE	SCALE
DATE 6/25/2018		INPUT MODULE SEAL INSTALLER	NTS
COPYRIGHT © 2018 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>			